



# Introducing Classic Series Speakers

Classic Boston Performance

Classic Boston Styling

Classic Boston Value

*Classic speakers are available in Cherry and Black Walnut finishes.*



## Classic Boston speakers, Classic Boston value

Classic Series was designed to offer Boston's legendary sound, classic look, exceptional quality, and value. Classic loudspeakers provide an excellent foundation for a multi-channel home theater system or a stereo-only music system. The Classic Series includes a high performance floorstanding loudspeaker, two small bookshelf loudspeakers, a center channel, a 100-watt powered subwoofer, and a satellite/center loudspeaker package. All Classic models are finished in Black Walnut or Cherry Vinyl - a classic look that looks great anywhere.

### Key features

- Boston Kortec® soft dome tweeters for crystalline high-frequency sound
- Graphite injected polymer woofers utilize Deep Channel® Design (DCD) for more bass from less amplifier power
- Acoustically tuned port for improved bass
- MagnaGuard® magnetic shielding prevents video interference
- 5-way gold-plated binding posts for hook-up flexibility and the purest signal transfer





## Available now.

CS 226

Dual 6½" 2-Way Floorstanding Speaker



CS 225C

Dual 5¼" 2-Way Center Channel Speaker



CS 26

CS 26 2-Way 6½" Bookshelf Speaker



CS Sub10

100 Watt 10" Down-firing DCD Subwoofer

## Specifications

	CS 26	CS 225C	CS 226
<b>Frequency Range (±3dB)</b>	52Hz – 25kHz	80Hz – 25kHz	46Hz – 25kHz
<b>Recommended Amplifier</b>	10 – 150 watts	15 – 175 watts	15 – 250 watts
<b>Sensitivity</b>	89dB [SPL/2.8V at 1m]	89dB [SPL/2.8V at 1m]	89dB [SPL/2.8V at 1m]
<b>Nominal Impedance</b>	8 ohms	8 ohms	8 ohms
<b>Crossover Frequency</b>	2,400Hz	2,400Hz	2,800Hz
<b>Woofers</b>	165mm DCD Graphite injected polymer woofer	Dual 133mm DCD Graphite injected polymer woofer	Dual 65mm DCD Graphite injected polymer woofer
<b>Passive Radiators</b>	—	—	—
<b>High-Frequency Driver</b>	25mm Kortec Soft Dome	25mm Kortec Soft Dome	25mm Kortec Soft Dome
<b>Dimensions (H x W x D)</b>	311 x 210 x 230mm	159 x 421 x 203mm	960 x 210 x 263mm
<b>Weight:</b>	5.7Kg	6.8Kg	15Kg

## Specifications CS Sub10

<b>Frequency Range</b>	32 – 150 Hz
<b>Amplifier Power</b>	100 watts RMS; BassTrac® circuitry eliminates distortion
<b>Bass Driver</b>	254mm DCD
<b>Dimensions (H x W x D)</b>	381 x 381 x 381mm
<b>Weight:</b>	14.5kg

## Available finishes for all models



Cherry Vinyl



Black Walnut Vinyl

Boston Acoustics continually strives to update and improve its products.  
The specifications and construction details are subject to change without notice.



Boston Acoustics Benelux, Beemdstraat 11, 5653 MA Eindhoven, The Netherlands  
Tel: +31 40 2507800, Fax: + 31 40 2507802, Email: [benelux@bostona-europe.com](mailto:benelux@bostona-europe.com)

[www.bostona.eu](http://www.bostona.eu)